

59 Curp, 507 Costeriflon ong Oristata n. sp. 11/1/2011 THE TOTAL TOTAL 1-1-CM photo to Conintet Circlosed 479-580

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

Conitation = 06

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS





apparely near C. Gronovi; flor 1/4 (. log.

zeeds ong 0.7 on 0.8 l. log, oval, terlain a destinat bown orraler sport, not so wear the base, with a skul oblighen puplite bør oblig hil MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS BOTANICAL copyright reserved cm GARDEN

O Santroulpeta 12.5%. Jourse Jourse 1975 Conclosed 48/






Lan 1875 Cuscuta denticulata, Engelm. n. sp. : Items very slender, hairlike. glomernes few and lussely flowered; flowers few in loose glomerules White small (scarrely one line long) (on short pedicels)
The lobes of the deeply this colyx released soborlar concave, very this membranareous, and dishall dentiralate, covery the whole take should companie to take and the corolla, looks broadly roal obline, Spreading of finally reflected, as long as the take ovate anthers sales quely to the time of the author, subsirilately (detatively findrately) as long as the court, ported over, very slender destaining traliffy thickened (samely capithte) Higmes: capsile covered by the withering coroller indehisrent? Come enslosing one or two seeds.

If Jourse Whith, on Coleogyne or Biscatelly,

XCC Pary 1874. — apparely allie to C. California the same delinte texture, but easily distinged byth very Grown and oblige labor of the corolla It cally, the latter being Intibilité, while I have not observe i my other Coloration ofther Jenny — A is the first addition to our Curoula flora sieve my sympnis uns publisher, 16 years ago ... GEORGE ENGREAMENT PARTRE

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved








205 Cusouta dentitulate nep.


D'Carry Sigeory White 1874
on Coleogyne & Distribly Tenerissima floribus glomenlis lax is peresifloris floritos albis ovato brevita pedidi (vix linearitus) calgreis globuloses lavinis ovato obionfatis late imbrivatis temmissimis, mangia duticulatis tubulitis femun repesis contler aequitibus, Revisioni corolle tube aequitibus petantisi nos spelate ovalis oblisis; antheris ontis filanto perbrevi stipillis, corolla tolis melts brevinters, Lymannis dentirellis argusti, tube ag titus, styling grantlining overing shipporti acustus acycling anthum for ægetiber, stigentiber minulis vri innetis capsala cordla manescate obtesta probbly with overwill capsal distribute by the allied both to C. Calyoners a C. unbalate as norther probbly with overwill capsal distribute by the 0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL

GARDEN

Ei


ate







Ceest p. 506 C. paniflora n'h Euclosed 473-476





4897 MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS MISSOURI

copyright reserved

BOTANICAL GARDEN

Willa Rica A Brigil. Pohl 5726 Minus gemes - H. Hindel. 550 paniflom usp. Cimiemntha herb. Mart non Ohois. Sadantila. Ackerman ich hb. Gmd. Joyn Anjil, Weddell 2125 Olim. Ho Man Dais







- 22 Car. to parinther Mala villa Aion, Brasil (in Mines Gernes hend Bohl 5726 of In Francisco Arom) Hera. Orherbon 64 on a shoul CONCENSO O rade filiforni, fymis læxis smillifleri pulvelle elagete sami fortes pour tale compendades order obleve meli tole voroll Out our let fe que regul. Com Cationies tobaco agelito, ento father; dema solution; oralis obtaging aprèse paula invenir ætte svaler, 22mmi magani inner, Agler ovan globo fre sheatifust a veg suntle flower form. Telegrenter. Capacit. H H of a Com Coop, of a reduct color MISSOURI BOTANICAL

copyright reserved

GARDEN

cm










Currette Brisilie, Akkern 1833 ni Herb. Gruel. olia. MISSOURI BOTANICAL GARDEN CORGE ENGELMANN PAPERS is the same thing, I only observe that the only is thick as gladele the flower only o.s li log a the loss longer the the two at seale, sanger the figure here. This may be the same of C. moremora S. minutes from Thing Genes, & Tejruro, matin 20.1.1X. 456

Browned. 734 Listed Jang gay is vanthing Plant No 252 and seems to be the same








320 = 44 Kens Aug 1857 Lango Rocedie fritt sam sperie an fig 44 SIV BY The plat is remarked an aut. If the same of the same o Three in C. obtain flore - but the whole hrbit seem, differet. stille it may be fut down ar a form of C. obturiften. or bited to muda nuda ? MISSOURI BOTANICAL


copyright reserved


GARDEN

cm










Agli i sangentils ovanis som so subsegut to feer corolle acquité, cops. I spend, torolle (indirettes), involute, planje 1 spend; som inlighter onti, miente vermelori, Kew. Any Draw soundly of Difference between their and Concernosa; lober satte shorter a I scale, less frutrite _ but i rayaning the plate of ind even no difference in the stales, they are just as much fleubriale a comment. Truly 13 the only siferance seems to exist it Imale respondet ruly - en short lober of Corolla mag be name var. bsevringe or valgoulete MISSOURI BOTANICAL GARDEN THE DROED ENGINEERS PARTIES



Cossa p. 506 E. Densiflom Hook fif Euclased 477-

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

C. drassiflom Hook fit!

Port Underwood, Middle Island

Cooks Striks New Jealand

Alexand Adjall leg


- Ho Hook & Dedge.

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



1028 paccino se wan C. mirrostyla n sp gung-7/cm of minded 29. Emclosial 478

copyright reserved



Whole plat dying yellow very strongly in flower much like a small C. racemora.

The Diny of stignate for way chamtestix for law and open.

